

作成日:2009.3.31

氏名:田中貴代子

所属:幹細胞プロジェクト

臨床研赴任年月:1976.2.1

1. 研究業績 欧文

1. DDX1 is required for the testicular tumorigenesis in part by transcriptional activation of 12p stem cell genes. K. Tanaka, S. Okamoto, Y. Ishikawa, H. Tamura and T. Hara. *Oncogene* (2009.3.26 accepted)
2. Disruption of CXC motif chemokine ligand-14 in mice ameliorates obesity-induced insulin resistance. N. Nara, Y. Nakayama, S. Okamoto, H. Tamura, M. Kiyono, M. Muraoka, K. Tanaka, C. Taya, H. Shitara, R. Ishii, H. Yonekawa, Y. Minokoshi and T. Hara. *J. Biol. Chem.* 282: 30794-30803. 2007
3. Capillary morphogenesis gene (CMG)-1 is among the genes differentially expressed in mouse male germ line stem cells and embryonic stem cells. R. Fujino, Y. Ishikawa, K. Tanaka, M. Shinohara, K. Tamura, H. Kogo, T. Shinohara, T. Hara. *Molecular Reproduction and Development.* 73: 955-966, 2006.
4. Spermatogonial Cell-mediated Activation of An I $\kappa$ B $\zeta$ -independent NF- $\kappa$ B Pathway in Sertoli Cells Induces Transcription of the Lipocalin-2 Gene. R. Fujino, K. Tanaka, M. Morimatsu, K. Tamura, H. Kogo, T. Hara. *Mol. Endocrinology* 20: 904-915, 2006.
5. Runx1 promotes angiogenesis by down-regulation of insulin-like growth factor binding protein-3. K. Iwatsuki, K. Tanaka, T. Kaneko, R. Kazama, S. Okamoto, Y. Nakayama, Y. Ito, M. Satake, S. Takahashi, A. Miyajima, T. Watanabe, T. Hara. *Oncogene* 24: 1129-1137, 2005
6. Cloning of cDNA Encoding a Regeneration-associated Muscle Protease whose Expression is Attenuated in Cell Lines Derived from Duchenne Muscular Dystrophy Patients. Y. Nakayama, N. Nara, Y. Kawakita, Y. Takeshima, M. Arakawa, M. Katoh, S. Morita, K. Iwatsuki, K. Tanaka, S. Okamoto, T. Kitamura, N. Seki, R. Matsuda, M. Matsuo, K. Saito, and T. Hara. *The American Journal of Pathology* 164: 1773-1782. 2004.
7. Spermatogonia-dependent expression of testicular genes in mice. Tanaka, K. Tamura, H. Tanaka, H. Katoh, M. Futamata, Y. Seki, N. Nishimune, Y. Hara, T. *Dev Biol.* 246: 466-479, 2002.
8. In vivo differentiation of stem cells in the aorta-gonad-mesonephros region of

- mouse embryo and adult bone marrow. Tamura, H. Okamoto, S. Iwatsuki, K. Futamata, Y. Tanaka, K. Nakayama, Y. Miyajima, A. Hara, T. *Exp Hematol.* 30:957-966, 2002.
9. Malignant transformation and EGFR activation of immortalized mouse liver epithelial cells caused by HBV enhancer-X from a human hepatocellular carcinoma. Miyaki, M. Sato, C. Sakai, K. Konishi, M. Tanaka, K. Muraoka, M. Kikuchi-Yanoshita, R. Nadaoka, Y. Kanda, H. Kitagawa, T. *Int J Cancer.* 85:518-522, 2000.
  10. p57(Kip2) is degraded through the proteasome in osteoblasts stimulated to proliferation by transforming growth factor beta1. Urano, T. Yashiroda, H. Muraoka, M. Tanaka, K. Hosoi, T. Inoue, S. Ouchi, Y. Toyoshima, H. *J Biol Chem.* 274:12198-12200, 1999.
  11. Germline mutation of MSH6 as the cause of hereditary nonpolyposis colorectal cancer. Miyaki M. Konishi M. Tanaka K. Yanoshita R. Muraoka M. Yasuno M. Igari T. Koike M. Chiba M. Mori T. *Nature Genetics.* 17:271-272, 1997.
  12. Drastic genetic instability of tumors and normal tissues in Turcot syndrome. Miyaki M. Nishio J. Konishi M. Yanoshita R. Tanaka K. Muraoka M. Koike M. Terada T. Kawahara Y. Fukutome A. Tomiyama J. Chuganji Y. Momoi M. Utsunomiya J. *Oncogene.* 15:2877-2881, 1997.
  13. Germline mutation of MSH6 as the cause of hereditary nonpolyposis colorectal cancer. Miyaki M. Konishi M. Tanaka K. Kikuchi-Yanoshita R. Muraoka M. Yasuno M. Igari T. Koike M. Chiba M. Mori T. [letter]. *Nature Genetics.* 17(3):271-2, 1997.
  14. Molecular nature of colon tumors in hereditary nonpolyposis colon cancer, familial polyposis, and sporadic colon cancer. Konishi M. Kikuchi-Yanoshita R. Tanaka K. Muraoka M. Onda A. Okumura Y. Kishi N. Iwama T. Mori T. Koike M. Ushio K. Chiba M. Nomizu S. Konishi F. Utsunomiya J. Miyaki M. *Gastroenterology.* 111(2): 307-17, 1996.
  15. p300 gene alterations in colorectal and gastric carcinomas. Muraoka M. Konishi M. Kikuchi-Yanoshita R. Tanaka K. Shitara N. Chong JM. Iwama T. Miyaki M. *Oncogene.* 12(7):1565-9, 1996.
  16. Suppression of tumorigenicity and invasiveness of colon carcinoma cells by introduction of normal chromosome 8p12-pter. Tanaka K. Kikuchi-Yanoshita R.

- Muraoka M. Konishi M. Oshimura M. Miyaki M. *Oncogene*. 12(2):405-10, 1996.
17. Germ line mutations of hMSH2 and hMLH1 genes in Japanese families with hereditary nonpolyposis colorectal cancer (HNPCC): usefulness of DNA analysis for screening and diagnosis of HNPCC patients. Miyaki M. Konishi M. Muraoka M. Kikuchi-Yanoshita R. Tanaka K. Iwama T. Mori T. Koike M. Ushio K. Chiba M. et al. *Journal of Molecular Medicine*. 73(10):515-20, 1995.
  18. Increased cell-substratum adhesion, and decreased gelatinase secretion and cell growth, induced by E-cadherin transfection of human colon carcinoma cells. Miyaki M. Tanaka K. Kikuchi-Yanoshita R. Muraoka M. Konishi M. Takeichi M. *Oncogene*. 11(12):2547-52, 1995.
  19. Malignant transformation of rat embryo fibroblasts by cotransfection with eleven human mutant p53 cDNAs and activated H-ras gene. Kikuchi-Yanoshita R. Tanaka K. Muraoka M. Konishi M. Kawashima I. Takamoto S. Hirai H. Miyaki M. *Oncogene*. 11(7):1339-45, 1995
  20. Familial polyposis: recent advances. Miyaki M. Tanaka K. Kikuchi-Yanoshita R. Muraoka M. Konishi M. [Review] *Critical Reviews in Oncology-Hematology*. 19(1):1-31, 1995.
  21. Characteristics of somatic mutation of the adenomatous polyposis coli gene in colorectal tumors. Miyaki M. Konishi M. Kikuchi-Yanoshita R. Enomoto M. Igari T. Tanaka K. Muraoka M. Takahashi H. Amada Y. Fukayama M. et al. *Cancer Research*. 54(11):3011-20, 1994 .
  22. Coexistence of somatic and germ-line mutations of APC gene in desmoid tumors from patients with familial adenomatous polyposis. Miyaki M. Konishi M. Kikuchi-Yanoshita R. Enomoto M. Tanaka K. Takahashi H. Muraoka M. Mori T. Konishi F. Iwama T. *Cancer Research*. 53(21):5079-82, 1993 .
  23. Suppression of tumorigenicity in human colon carcinoma cells by introduction of normal chromosome 1p36 region. Tanaka K. Yanoshita R. Konishi M. Oshimura M. Maeda Y. Mori T. Miyaki M. *Oncogene*. 8(8):2253-8, 1993 .
  24. Loss of expression of the DCC gene during progression of colorectal carcinomas in familial adenomatous polyposis and non-familial adenomatous polyposis patients. Kikuchi-Yanoshita R. Konishi M. Fukunari H. Tanaka K. Miyaki M. *Cancer Research*. 52(13):3801-3, 1992 .
  25. Loss of normal allele of the APC gene in an adrenocortical carcinoma from a

- patient with familial adenomatous polyposis. Seki M. Tanaka K. Kikuchi-Yanoshita R. Konishi M. Fukunari H. Iwama T. Miyaki M. *Human Genetics*. 89(3):298-300, 1992 .
26. Suppression of tumorigenicity in human colon carcinoma cells by introduction of normal chromosome 5 or 18. Tanaka K. Oshimura M. Kikuchi R. Seki M. Hayashi T. Miyaki M. *Nature*. 349(6307):340-2, 1991.
  27. Miyaki M. Okamoto M. Seki M. Tanaka K. [Detection of tumor suppressor genes by use of RFLP markers]. [Japanese] *Nippon Rinsho - Japanese Journal of Clinical Medicine*. 48(8):236-42, 1990.
  28. Genetic changes and histopathological types in colorectal tumors from patients with familial adenomatous polyposis Miyaki M. Seki M. Okamoto M. Yamanaka A. Maeda Y. Tanaka K. Kikuchi R. Iwama T. Ikeuchi T. Tonomura A. et al. *Cancer Research*. 50(22):7166-73, 1990.
  29. Establishment of a human malignant meningioma cell line with amplified c-myc oncogene. Tanaka K. Sato C. Maeda Y. Koike M. Matsutani M. Yamada K. Miyaki M. *Cancer*. 64(11):2243-9, 1989.
  30. Increased formation of unintegrated viral DNA in skin fibroblasts from patients with familial polyposis coli shortly after infection with Kirsten murine sarcoma virus. Tanaka K. Sato C. Akamatsu N. Mori T. Tsuchida N. *International Journal of Cancer*. 42(5):739-43, 1988.
  31. Pleiotropic effects of quercetin on the transformation of BALB 3T3 cells. Tanaka K. Ono T. Umeda M. *Japanese Journal of Cancer Research*. 78(8):819-25, 1987.
  32. Inhibition of biological actions of 12-O-tetradecanoylphorbol-13-acetate by inhibitors of protein kinase C. Tanaka K. Ono T. Umeda M. *Japanese Journal of Cancer Research*. 77(11):1107-13, 1986.
  33. Specificities of acylglycerols and phospholipids for interaction with phorbol ester receptor on Friend leukemia cells. Tanaka K. Ono T. *Japanese Journal of Cancer Research*. 76(6):502-7, 1985.
  34. Characterization of specific binding of 3H-phorbol dibutyrate to Friend leukemia cells. Tanaka K. Ono T. *Gann*. 74(6):837-44, 1983.
  35. Early changes in ornithine decarboxylase activity and polyamines during erythroid differentiation of Friend leukemia cells. Morioka K. Tanaka K. Kezuka

- Y. Suganuma K. Yui K. Ono T. *Oncodevelopmental Biology & Medicine*. 4(3):231-7, 1983. |
36. Acceptors of poly(ADP-ribosylation) in differentiation inducer-treated and untreated Friend erythroleukemia cells. Morioka K. Tanaka K. Ono T. *Biochimica Biophysica Acta*. 699(3):255-63, 1982.
  37. Comparison of nuclear proteins of differentiation-induced and uninduced Friend erythroleukemia cells. Morioka K. Tanaka K. Ono T. *Journal of Biochemistry*. 89(5):1633-8, 1981.
  38. Poly(ADP-ribose) and differentiation of Friend Erythroleukemia cells. Restriction of the chain length. Morioka K. Tanaka K. Ono T. *Journal of Biochemistry*. 88(2):517-24, 1980.
  39. Effect of medium change on poly(ADP-ribose) synthesis in Friend erythroleukemic cells. Morioka K. Tanaka K. Ono T. *Biochemical & Biophysical Research Communications*. 94(2):592-9, 1980
  40. Isozyme patterns of pyruvate kinase and differentiation of Friend leukemia cells. Morioka K. Asami Y. Tanaka K. Ono T. Saheki S. Harada-Saheki K. Tanaka T. *Gann*. 71(1):146-50, 1980
  41. Erythroid differentiation and poly(ADP-ribose) synthesis in Friend leukemia cells. Morioka K. Tanaka K. Nokuo T. Ishizawa M. Ono T. *Gann*. 70(1):37-46, 1979

邦文

- 1) マイクロアレイの使い方:幹細胞を用いた遺伝子発現解析  
原 孝彦、田中 貴代子、*ゲノム医学*、2, 77-84, 2002
- 2) 染色体導入による癌形質の抑制 田中 貴代子、宮木美知子、*実験医学*、9, 59-62, 1991